


**Side Joint Plate**



**Description**

Metal side joining piece in various Protection Systems for the assembly of different sections of Rejiband trays. Excellent adjustment with maximum load values, ensuring mechanical strength of the joint and electrical continuity, according to IEC61537 standard. For the installation of trays, the connecting plate is installed on the side of the tray and connected by means of the Rejiband Part Clamp. It is an accessory for the assembly of Rejiband trays, made of steel and available in different Protection Systems.

**Advantages**

Side connection for Rejiband trays.

Suitable for trays 60 to 600 mm wide.

Reinforces the joint between different sections of the tray with the use of the Rejiband fixing.

Available in various protection systems: EZ, BC, GC, high resistance BK C8 and passivated stainless steel AISI 316.

**Applications**

Suitable for the joining of straight sections of Rejiband tray in all types of wall or ceiling mounted electrical installations.

**Solutions**



INDUSTRIA ALIMENTARIA



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

**Side Joint Plate**

**Main technical characteristics**

50	-50 / 150 °C	A1 No combustible	ETIM EC002413
----	--------------	-------------------	------------------

**Product data**

Ⓢ	EN 61537	REF	kg/u	Ⓜ
EZ	Class 3	64010041	0.051	Steel with surface coating
GC	Class 8	64030041	0.052	Steel with surface coating
INOX	Class 9D	64060041	0.050	Acero inoxidable AISI 316L
BK8	Class 8	64080041	0.051	Steel with surface coating

**Ⓢ Protection System**

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

**Ⓜ Insulating materials**

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic



**Side Joint Plate**

**Product applications**

