



Description

Metal joining piece with quick connection Click system for creating bends with Rejiband trays. The Rejiband clip attaches to the trays without screws. It is placed in the inside of the bend and joins the sections without the need of any specific tools for its assembly and installation. Made of steel, it is supplied in various Protector Systems.

Advantages

Fixing by quick click system.

Quick installation without the need for screws or fastenings.

80% saving in installation time.

It facilitates the fast creation and assembly of bends in the trays.

Suitable for all sizes of trays and available in a wide variety of protection systems.

Applications

It is used for creating bends in Rejiband trays. It facilitates the installation of Rejiband wire mesh trays in cable management installations.

Solutions



Main technical characteristics

kg/u 0.007	50	Steel with surface coating	-50 / 150 °C	A1 No combustible	ETIM EC002413
------------	----	----------------------------	--------------	-------------------	------------------

Product data

Ⓢ	Class EC 61537	Ref
EZ	Class 3	64010072
GC	Class 8	64030072
BK8	Class 8	64080072

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



Product applications





