



**Fast Click Base Joint**



**Description**

Component for specifically joining the base of sections of trays using the Click system. It is suitable for Rejiband trays of 300 to 600 mm width and heights of 60 and 100 mm, with surface protection. It is assembled without the need for any special tools and allows the joining between sections of Rejiband trays in less time, ensuring the mechanical strength of the joint and electrical continuity, according to IEC61537 standard. Made of steel and available in various Protection Systems.

**Advantages**

Fast installation on the tray without screws.

Simple and quick assembly without the need of special tools.

80% saving in installation time.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, BC, GC or high resistance BK8, depending on the type of application.

**Applications**

Suitable for the fast connection of Rejiband trays in electrical and/or telecommunications installations in: Civil works, Tunnels, Car Parks, Public Buildings, Shopping Centres, Large Infrastructures, Airports, Metro Lines, Railway. Tertiary Sector and industrial applications: Naval, Petrochemical, Textile, Chemical, Food.

**Solutions**



**Fast Click Base Joint**

**Main technical characteristics**

10	Steel with surface coating	-50 / 150 °C	A1 No combustible	ETIM EC002413
----	----------------------------	--------------	-------------------	------------------

**Product data**

Ⓢ	Class  61537	Ref	kg/u
EZ	Class 3	64010036	0.063
GC	Class 8	64030036	0.065
BK8	Class 8	64080036	0.064

**Ⓢ Protection System**

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass


**Ⓜ Insulating materials**

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic



**Fast Click Base Joint**

**Product applications**



**Fast Click Base Joint**

